

## HTX 2030

313890H

- For Portable Airless and Air-Assisted Spraying of Water-Based Architectural Coatings with Base Coat Pump -

For Airless Spraying Architectural Coatings and Paints with Top Coat Pump -



### IMPORTANT SAFETY INSTRUCTIONS

Read all warnings and instructions in this manual. Save these instructions.

Model 257369: HTX2030 FreeFlow Inline Gun Model 278675: HTX2030 AirSpray Trigger Gun

**Maximum Working Pressure:** 

**Base Coat Pump:** 1000 psi (69 bar, 6.9 MPa) **Top Coat Pump:** 3300 psi (228 bar, 22.8 MPa)

### **Related Manuals:**

313888 - Operation (English)

313891 - Operation (French)

313893 - Operation (Spanish)

313889 - Repair (English)

313892 - Repair (French)

313894 - Repair (Spanish)

**313895** - HTX 2030 Flex Head and Pole Spray Applicator (English)

**313896** - HTX 2030 Flex Head and Pole Spray Applicator (French)

**313897** - HTX 2030 Flex Head and Pole Spray Applicator (Spanish)

310894 - Displacement Pump (Top Coat)

308491 - Texture Airless Spray Gun

**313537** - HTX 2030 Applicator (English)

313603 - HTX 2030 Applicator (Chinese)

**313908** - HTX 2030 Applicator (French)


**313911** - HTX 2030 Applicator (Spanish)

332160 - HTX2030 AirSpray Trigger Gun (English)


**332227** - HTX2030 AirSpray Trigger Gun (French)

332228 - HTX2030 AirSpray Trigger Gun (Spanish)

332229 - HTX2030 AirSpray Trigger Gun (Chinese)




### **Parts**



### **Parts List**


|      |        |                                  | Qty |                   |            |                                    | Qty |
|------|--------|----------------------------------|-----|-------------------|------------|------------------------------------|-----|
| Ref. | Part   | Description                      |     | Ref.              | Part       | Description                        | -   |
| 1    | 24A852 | FRAME, cart, HTX 2030            | 1   | 63                | 112600     | WASHER, lock                       | 4   |
| 2    |        | WASHER, flat                     | 2   | 64                | 112599     | SCREW, cap, socket head            | 4   |
| 3    |        | WHEEL, pneumatic                 | 2   | 70                | 24B324     | PRESSURE CONTROL BOX               | 1   |
| 4    |        | CLIP, retaining                  | 2   | 75                | 15F584     | LABEL, proconnect                  | 1   |
| 8    |        | SCREW, mach, pnh                 | 4   | 76                | 114678     | BUSHING, strain relief             | 1   |
| 10   |        | HANDLE, assy                     | 1   | 83                |            | STRAP, retaining                   | 1   |
| 11   |        | WIRE, ground assembly w/ clamp   | 1   | 110               | 119677     | SPRING, retaining                  | 1   |
| 12   |        | SCREW, thread forming, hex hd    | 1   | 114               |            | PIN, pump                          | 1   |
| 14   |        | CAP, leg                         | 2   | 122               | 15F755     | LABEL, identification              | 1   |
| 15   |        | ENGINE, GAS, 6.5 hp, Honda       | 1   | 126               |            | LABEL, identification              | 1   |
| 16   |        | SCREW, flange, hex               | 2   | 128▲              | 194126     | LABEL, warning                     | 1   |
| 17   |        | NUT, lock                        | 2   | 133               |            | CLIP, retainer                     | 1   |
| 18   |        | KEY, parallel                    | 1   | 134               |            | BUSHING, strain relief             | 2   |
| 19   |        | HOUSING, clutch, mach            | 1   | 146               |            | WASHER, wave spring                | 2   |
| 20   |        | SCREW, cap, hex hd               | 4   | 153               |            | SHIELD, cable                      | 1   |
| 21   |        | WASHER, lock                     | 4   | 158               | 24B560     | TRANSDUCER, handtight, 5000        | 1   |
| 22   |        | COLLAR, shaft                    | 1   |                   |            | psi                                |     |
| 23†  |        | SCREW, hex, socket head          | 6   | 180               | 206994     | FLUID, TSL, 8 OZ (not shown)       | 1   |
| 24†  |        | WASHER, lock, spring (hi-collar) | 10  | 181               | 15Y118     | LABEL, Made in the USA             | 1   |
| 25†  |        | ARMATURE, clutch, 5 in.          | 1   | 182               | 113161     | SCREW, flange, hex hd              | 4   |
| 26†  |        | HUB, armature                    | 1   | 183               | 15Y139     | BLOCK, mounting, transducer        | 1   |
| 27†  |        | ROTOR, clutch, 5 in.             | 1   | 184               |            | COVER, block, mounting             | 1   |
| 28†  | 101682 | SCREW, cap, sch                  | 4   | 189▲              | 15K616     | LABEL, caution                     | 1   |
| 29   |        | HOUSING, pinion                  | 1   | 190▲              | 16A617     | LABEL, warning, English            | 1   |
| 30   | 114672 | WASHER, thrust                   | 2   |                   |            | LABEL, warning, Spanish            | 1   |
| 31   | 114699 | WASHER, thrust                   | 1   |                   |            | LABEL, warning, French             | 1   |
| 32   | 287459 | GEAR, combination                | 1   |                   |            | LABEL, warning, Chinese            | 1   |
| 33   | 287470 | HOUSING, drive                   | 1   | 500               |            | KIT, suction, 55 gal. (optional)   | 1   |
| 33a  | 116192 | WASHER, steel                    | 1   |                   | 111340     |                                    | 1   |
| 33b  |        | WASHER, bronze                   | 1   |                   | 187123     |                                    | 1   |
| 35   | 112395 | SCREW, cap, flng hd              | 1   | 500c              | 187119     | STRAINER, 1/2 nps                  | 1   |
| 36   | 102962 | SCREW, cap sch                   | 4   |                   |            |                                    |     |
| 37   | 104008 | WASHER, lock, spring             | 4   | ▲ Re <sub>l</sub> | olacemen   | t Danger and Warning labels, tags, | and |
| 38   | 15C753 | SCREW, mach, hex wash hd         | 6   | cards             | are availa | able at no cost.                   |     |
| 40   | 24B528 | HOUSING, bearing                 | 1   |                   |            |                                    |     |
| 43   | 287473 | ROD, connecting                  | 1   | † Inclu           | uded in C  | lutch Replacement Kit 241113.      |     |
| 44   | 287520 | COVER, front                     | 1   |                   |            | -                                  |     |
| 45   | 118444 | SCREW, mach, slot hex wash hd    | 4   |                   |            |                                    |     |

### **Pressure Control Box 24B324**



| Ref.            | Part   | Description                    | Qty. |
|-----------------|--------|--------------------------------|------|
| _               | rait   | -                              | •    |
| 70              |        | PRESSURE CONTROL BOX           | 1    |
|                 |        | (includes all parts shown)     |      |
| 70a             | 24B574 | BOX, control, modified         | 1    |
| 70b             | 119545 | BUSHING, strain, relief        | 3    |
| 70c             | 257431 | CONTROL, board                 | 1    |
| 70d             | 117317 | SCREW, plastite, pan head      | 7    |
| 70g             | 287515 | DISPLAY, LCD                   | 1    |
| 70h             | 15E855 | LABEL, SmartControl            | 1    |
| 70j             | 116752 | SWITCH, rocker                 | 1    |
| 70k             | 116167 | KNOB, pump control             | 1    |
| 70m             | 15C973 | GASKET                         | 1    |
| 70n             | 198650 | SPACER, shaft                  | 1    |
| 70p             | 256219 | POTENTIOMETR, assembly         | 1    |
| 71 <sup>.</sup> | 116585 | SCREW, pan, cross, recess, sst | 2    |
| 120             | 15X746 | GASKET, control cover          | 1    |
| 156             | 122207 | HARNESS, switch/jack           | 1    |
| 157             | 120761 | COVER, jack                    | 1    |
| 185             | 113160 | SCREW, mach, slot, hex, wash   | 4    |
| 186             | 15Y262 | LABEL, prime switch            | 1    |
| 187             | 195428 | BOOT, toggle                   | 1    |


## **Bearing Housing 24B528**



| Ref. | Part   | Description             | Qty. |
|------|--------|-------------------------|------|
| 40   |        | HOUSING, bearing        | 1    |
| 40a† | 107251 | SCREW, panhead          | 1    |
| 40b† | 565361 | CLAMP, cable            | 1    |
| 40c† |        | SENSOR, pump            | 1    |
| 40d† | 15E625 | PIN, housing, bearing   | 1    |
| 40e† | 15G890 | LATCH, housing, bearing | 1    |
| 40f† | 111040 | NUT, lock, hex          | 2    |
| 40g† | 15F503 | SCREW, set, socket hd   | 1    |
| 40h† | 15F498 | SCREW, adjustment       | 1    |
| 40j† | 15F116 | LATCH                   | 1    |
| 40k† | 15G584 | RECEIVER, latch         | 1    |
| 40m† | 116942 | SCREW, shoulder, sch    | 1    |


† Included in Bearing Housing 40.

## **Base Coat Pump**




| Ref. | Part   | Description                           | Qty. |
|------|--------|---------------------------------------|------|
| 47   | 24B321 | PUMP, displacement                    | 1    |
| 82   | 15X762 | STRAINER, 2 in. npt                   | 1    |
| 102  | 24B572 | VALVE, drain, assembly                | 1    |
| 102a | 193710 |                                       | 1    |
| 102b | 193709 | SEAT, valve                           | 1    |
|      | 107204 | O-RING                                | 1    |
| 102e | 122287 | SPRING, drain valve, knob             | 1    |
|      | 15Y594 | , , ,                                 | 1    |
| 102g | 116424 | NUT, cap                              | 1    |
|      | 122602 | , , , ,                               | 1    |
| 155  | 15X088 | EXTENSION, valve, inlet               | 1    |
|      | 24B560 | , , ,                                 | 1    |
| 158b | 111710 | SEAL, o-ring                          | 1    |
|      |        | (included with transducer 158)        |      |
| 159  | 15X943 | FITTING, manifold, drain tube         | 1    |
| 160  | 16C053 |                                       | 1    |
| 161  | 15T116 | COUPLER, male, cam and groove         | 1    |
| 162  | 100020 | •                                     | 4    |
| 163  | 104705 |                                       | 4    |
| 164  | 115719 | PACKING, o-ring, 015, FKM             | 1    |
| 165  | 123621 | RING, cover, thread 1 npt             | 1    |
| 166  | 123602 |                                       | 1    |
| 167  | 123622 | · · · · · · · · · · · · · · · · · · · | 1    |
| 168  | 24C750 | VALVE, ball, 1/2 npt                  | 1    |
| 169  | 158683 | ELBOW, street, 1/2 npt                | 1    |

### Base Coat Pump 24B321




| Ref.  | Part    | Description               | Qty. | Ref.                                  | Part          | Description                               | Qty.  |  |
|-------|---------|---------------------------|------|---------------------------------------|---------------|---|-------|--|
| 201   | 15X090  | PISTON ROD                | 1    | 217                                   | 187064        | BALL GUIDE                                | 1     |  |
| 202   | 187068  | PACKING NUT               | 1    | 218                                   | 188558*       | U-CUP SEAL, poly/fluoroelastomer          | 1     |  |
| 203   | 188560* | V-PACKING, poly           | 2    | 219                                   | 187072*       | V-PACKING, polu                           | 3     |  |
| 204   | 187939* | GLAND, male               | 1    | 220                                   | 102972*       | BALL, piston, 0.875 in. ID                | 1     |  |
| 205   | 188557* | O-RING                    | 2    | 221                                   | 187066        | CYLINDER                                  | 1     |  |
| 206   | 187934  | PISTON HOUSING            | 1    | 223                                   | 115719        | SEAT, o-ring, manifold                    | 1     |  |
| 207†† | 188559* | O-RING fluoroelastomer    | 1    | 225                                   | 187071*       | V-PACKING, poly                           | 3     |  |
| 208   | 188434* | NUT                       | 1    | 226                                   | 187070*       | GLAND, female                             | 1     |  |
| 209   | 188432* | GLAND, male               | 1    | 227                                   | 15X089        | HOUSING, pump                             | 1     |  |
| 210   | 188561* | · ·                       | 2    | 232                                   | 235962        | SEAL, foot valve                          | 1     |  |
| 211   | 188433* | GLAND, female             | 1    | 235                                   | 104705        | ,   | 4     |  |
| 212   | 188627  | BACKUP WASHER, nylon      | 1    | 236                                   | 100020        | WASHER, lock                              | 4     |  |
| 213   | 235165  | PISTON SEAT               | 1    | *These                                | e parts are a | also included in Repair Kit 235186, whici | h can |  |
| 214   | 187929  | LUG NUT                   | 1    | be pur                                | rchased sep   | arately.                                  |       |  |
| 215   | 235963  | INTAKE HOUSING            | 1    |                                       |               |   |       |  |
| 216   | 102973* | BALL, intake, 1.25 in. ID | 1    | †† Not used in all revisions of pump. |               |   |       |  |

## **Texture Applicator and Hose**



|                  |          |                                | Qty |            |                  |  | Qty |
|------------------|----------|--------------------------------|-----|------------|------------------|--|-----|
| Ref.             | Part     | Description                    |     | Ref.       | Part             | Description  |     |
| 304              | 24B327   | APPLICATOR, HTX (accessories), | 1   | 320f†      | 16H087           | NUT, switch  | 2   |
|                  |          | Model 257369, see manual       |     | 320g       | 24B561           | SWITCH, pump   | 1   |
|                  |          | 313537, 313603, 313908, 313911 |     | 320h       | 289874           | · · · · · · · · · · · · · · · · · · ·                    | 1   |
| 306              | 119394   | FITTING, air, OD               | 1   | 320j       | 15T116           | •  | 1   |
| 307              |          | VALVE, air, needle             | 1   | 320k       |                  | HOSE, fluid, bare  |     |
| 308              |          | UNION, swivel                  | 1   |            | 15X539           |  | 1   |
| 309              | 121591   | KNOB, valve                    | 1   | 000 1      | 17S247           | 100 ft.  | 1   |
| 320              |          | HOSE, texture                  |     | -          | 195428           |  | 1   |
|                  |          | (includes 320a-320k)           |     | 320n       | 125058<br>287227 |  |     |
|                  | 24B300   | 50 ft.                         | 1   | 330        | 201221           | KIT, FineFinish  | ı   |
|                  | 17S244   | 100 ft. (optional)             | 1   | 340        | 240054           | (see manual 310617)                                      | 4   |
| 320a             |          | SLEEVE, hose, shield           | 1   | 340        | Z4KU34           | HTX2030 AirSpray Trigger Gun,                            | ı   |
|                  | 24X577   |                                | 1   |            |                  | Model 278675, (see manual                                |     |
|                  | 17S245   |                                | 1   | 244        | 240205           | 332160, 332227, 332228, 332229)                          | 4   |
| 320b             | 45)4(740 | HARNESS, switch                |     | 341<br>342 | 248395<br>248515 | TOOL, cleaning, applicator<br>BALL, sponge, 30 mm (5 pk) | 1   |
|                  | 15W716   |                                | 1   | 343        |                  | BRUSH, cleaning  | 1   |
| 2200+            | 17S248   |                                | 1   | 343        | 1017 00 13       | BINOSI I, Cleaning                                       | ı   |
| 320c†            |          | HOUSING, switch                | 1   | + Inclui   | ded with s       | switch 320g.   |     |
| 320d†<br>320e†   | 16H086   | SCREWS                         | 4   | 1          | aca with c       |  |     |
| 320 <del>0</del> | 1011000  | O-DOL1                         | ı   |            |                  |  |     |

## **Top Coat Pump Kit 24B140 (Sold Separately)**



| Ref. | Part   | Description                         | Qty. | Ref. | Part     | Description                             | Qty. |
|------|--------|-------------------------------------|------|------|----------|---|------|
| 401  | 100020 | WASHER. lock                        | 4    | 421e | 15Y594   | HANDLE, black                           | 1    |
| 402  | 104705 | SCREW, cap, sch                     | 4    | 421f | 116424   | NUT, cap                                | 1    |
| 403  | 108833 | PACKING, o-ring                     | 1    | 427  | 241705   | TEXTURE SPRAY GUN (includes             | 1    |
| 404  | 189920 | STRAINER, (1-11 1/2 npsm)           | 1    |      |          | LTX531 Switch Tip and guard; see        |      |
| 406  | 115719 | PACKING, o-ring, 015, viton         | 1    |      |          | manual 308491 for parts)                |      |
| 409  | 118444 | SCREW, mach, slot, hex wash hd      | 1    | 428  | 240797   | HOSE, grounded, nylon; 3/8 in. ID;      | 1    |
| 410  | 159239 | FITTING, nipple, pip, rdcg          | 1    |      |          | cpld 3/8 npsm(fbe); 50 ft (15 m);       |      |
| 411  | 278204 | CLIP, spring                        | 1    |      |          | spring guards both ends; 3300 psi       |      |
| 413  | 15X083 | MANIFOLD, pump                      | 1    |      |          | (228 bar, 22.8 MPa)                     |      |
| 414  | 15X085 | EXTENSION, valve, inlet             | 1    | 429  | 238358   | HOSE, whip 1/4 in. x 3 ft               | 1    |
| 418  | 241920 | DEFLECTOR, threaded                 | 1    | 431  | 159841   | BUSHING, 3/8 x 1/4 in. x 3 ft           | 1    |
| 419  | 243993 | HOSE, drain                         | 1    | 432  | LTX643   | SWITCH TIP 643                          | 1    |
| 420  | 24B322 | PUMP, displacement (see manual      | 1    | 433  | 206994   | FLUID, throat seal liquid, 8 oz. (not   | 1    |
|      |        | 310894)                             |      |      |          | shown)                                  |      |
| 421  | 24B592 | VALVE, drain (includes 421a - 421f) | 1    | 434  | 307765   | MSDS, throat seal liquid (not shown     | ) 1  |
|      |        | see manual 308961                   |      |      |          | , | ,    |
| 421a | 193709 | SEAT, valve                         | 1    | ▲ Re | placemen | t Danger and Warning labels, tags,      | and  |
| 401h | 102710 |                                     | 4    | ,    |          | 3 , 3 ,                                 |      |

cards are available at no cost.

313890H 9

421b 193710

SEAL, seat, valve

421d 114708 SPRING, compression

# **Notes**

# **Notes**

### **Graco Standard Warranty**

Graco warrants all equipment referenced in this document which is manufactured by Graco and bearing its name to be free from defects in material and workmanship on the date of sale to the original purchaser for use. With the exception of any special, extended, or limited warranty published by Graco, Graco will, for a period of twelve months from the date of sale, repair or replace any part of the equipment determined by Graco to be defective. This warranty applies only when the equipment is installed, operated and maintained in accordance with Graco's written recommendations.

This warranty does not cover, and Graco shall not be liable for general wear and tear, or any malfunction, damage or wear caused by faulty installation, misapplication, abrasion, corrosion, inadequate or improper maintenance, negligence, accident, tampering, or substitution of non-Graco component parts. Nor shall Graco be liable for malfunction, damage or wear caused by the incompatibility of Graco equipment with structures, accessories, equipment or materials not supplied by Graco, or the improper design, manufacture, installation, operation or maintenance of structures, accessories, equipment or materials not supplied by Graco.

This warranty is conditioned upon the prepaid return of the equipment claimed to be defective to an authorized Graco distributor for verification of the claimed defect. If the claimed defect is verified, Graco will repair or replace free of charge any defective parts. The equipment will be returned to the original purchaser transportation prepaid. If inspection of the equipment does not disclose any defect in material or workmanship, repairs will be made at a reasonable charge, which charges may include the costs of parts, labor, and transportation.

THIS WARRANTY IS EXCLUSIVE, AND IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTY OF MERCHANTABILITY OR WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

Graco's sole obligation and buyer's sole remedy for any breach of warranty shall be as set forth above. The buyer agrees that no other remedy (including, but not limited to, incidental or consequential damages for lost profits, lost sales, injury to person or property, or any other incidental or consequential loss) shall be available. Any action for breach of warranty must be brought within two (2) years of the date of sale.

GRACO MAKES NO WARRANTY, AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, IN CONNECTION WITH ACCESSORIES, EQUIPMENT, MATERIALS OR COMPONENTS SOLD BUT NOT MANUFACTURED BY GRACO. These items sold, but not manufactured by Graco (such as electric motors, switches, hose, etc.), are subject to the warranty, if any, of their manufacturer. Graco will provide purchaser with reasonable assistance in making any claim for breach of these warranties.

In no event will Graco be liable for indirect, incidental, special or consequential damages resulting from Graco supplying equipment hereunder, or the furnishing, performance, or use of any products or other goods sold hereto, whether due to a breach of contract, breach of warranty, the negligence of Graco, or otherwise.

### FOR GRACO CANADA CUSTOMERS

The Parties acknowledge that they have required that the present document, as well as all documents, notices and legal proceedings entered into, given or instituted pursuant hereto or relating directly or indirectly hereto, be drawn up in English. Les parties reconnaissent avoir convenu que la rédaction du présente document sera en Anglais, ainsi que tous documents, avis et procédures judiciaires exécutés, donnés ou intentés, à la suite de ou en rapport, directement ou indirectement, avec les procédures concernées.

### **Graco Information**

For the latest information about Graco products, visit www.graco.com.

TO PLACE AN ORDER, contact your Graco distributor or call 1-800-690-2894 to identify the nearest distributor.

All written and visual data contained in this document reflects the latest product information available at the time of publication.

Graco reserves the right to make changes at any time without notice.

For patent information, see www.graco.com/patents.

Original instructions. This manual contains English. MM 313890

Graco Headquarters: Minneapolis International Offices: Belgium, China, Japan, Korea

GRACO INC. AND SUBSIDIARIES • P.O. BOX 1441 • MINNEAPOLIS MN 55440-1441 • USA

Copyright 2009, Graco Inc. All Graco manufacturing locations are registered to ISO 9001.