



Approved Foam Testing Matrix with DC315

DC315 Carries Intertek **CCRR-1076**, lapmo **ER-0499** and ICC **ES 3702** Evaluation Reports. **Building Code Fire Performance Requirements for SPF:** The International Building Code (IBC) mandates that SPF be separated from the interior of the building by a 15-minute thermal barrier, or other approved covering. All testing complies with the AC377/AC456 requirements and meets the 2009 IBC Section 803.1.2, 2603.9; 2009 IRC Section 316.6. 2012 IBC, Section 803.1.2, 2603.10, 2012 IRC Section 316.6 & 2015 IBC Section 803.2.1, 803.11, 2603.9 and 2015 IRC Section 316.6. DC 315 has also been tested as an ignition barrier under AC 377 Appendix X.

Light Gold Cells are Ignition Barrier Light Green Cells are Thermal Barrier

Approved (SPF) Spray Foam Manufacturer and Type	Wet Film	Dry Film	Coverage Rate Per Gallon	IFTI Intertek Evaluation report	IFTI IAPMO Evaluation report	SPF Manufacturer Evaluation report
Accella Bayseal CC HFO 2 lb.	18	12	89 sq.ft.	CCRR-1076	ER-0499	ESR-3999
Accella Bayseal CC HFO 2 lb.	7	4	228 sq.ft.			ESR-3999
Accella Bayseal CCX 2 lb.	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0522
Accella Bayseal CCXP 2 lb.	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0522
Accella Bayseal OC 0.5 lb.	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0519
Accella Bayseal OC 0.5 lb.	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-1655
Accella Bayseal OCX 0.5 lb.	14	9	New Spread Rate 115 sq.ft.	Update in Progress	ER-0499	ER-0541
Accella Ecobay™ CC 2 lb.	18	12	89 sq.ft.	CCRR-1076	ER-0499	ER-0520
Accella Ecobay™ Polar 2 lb. CC	18	12	89 sq.ft.	CCRR-1076	ER-0499	ER-0520
Accella Foamsulate™ 210 2 lb. CC	20	13	80 sq.ft.	CCRR-1076	ER-0499	ER-0351
Accella Foamsulate™ 220 2 lb. CC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ER-0352
Accella Foamsulate™ 220 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0352
Accella Foamsulate™ 50 0.5 lb. OC	20	13	80 sq.ft.	CCRR-1076	ER-0499	ER-0351
Accella Foamsulate™ 50 0.5 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ER-0351
Accella Foamsulate™ 50-HY 0.5 lb. OC	4	3	400 sq.ft.		ER-0499	ES-0540
Accella Foamsulate™ 50-NIB 0.5 lb. OC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0394
Accella NatureSeal® OCX	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0285
Accella QuadFoam® 2.0 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0272
Accella QuadFoam® 500 0.5 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ER-0271
Accella QuadFoam® 500 0.5 lb. OC	14	9	New Spread Rate 115 sq.ft.	Update in Progress	ER-0499	ER-0271
Accella QuadFoam® NeXGen HFO 2 lb. CC	18	12	89 sq.ft.	CCRR-1076	ER-0499	ER-0523
Accella Sealite™ 0.7lb OC+	20	13	80 sq.ft.	CCRR-1076	ER-0499	ER-0557
Accella Sealite™ 0.7lb OC+	4	3	400 sq.ft.		ER-0499	ER-0557
Accella Sealite™ 2lb CC+	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0556
BASF 158 SPRAYTITE® 2 lb. CC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-2642
BASF 158 SPRAYTITE® 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-2642
BASF ENERTITE® G OC	4	3	400 sq. ft.	Update in Progress	ER-0499	ESR-3102
BASF ENERTITE® G OC	14	9	New Spread Rate 115 sq.ft.	Update in Progress	ER-0499	ESR-3102
BASF ENERTITE® NM 0.5 lb. OC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-3102
BASF ENERTITE® NM 0.5 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-3102
BASF SPRAYTITE® 178 2 lb. CC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-2642
BASF SPRAYTITE® 178 2 lb. CC Requires 4 mils WFT DC 315P primer & 16 WFT mils DC 315	16	11	100 sq.ft.	CCRR-1076	ER-0499	ESR-2642
BASF SPRAYTITE® 81205 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-2642
BASF SPRAYTITE® 81206 2 lb. CC Requires 4 mils WFT DC 315P primer & 16 WFT mils DC 315	16	11	100 sq.ft.	CCRR-1076	ER-0499	ESR-2642

Approved (SPF) Spray Foam Manufacturer and Type	Wet Film	Dry Film	Coverage Rate Per Gallon	IFTI Intertek Evaluation report	IFTI IAPMO Evaluation report	SPF Manufacturer Evaluation report
BASF SPRAYTITE® SP 2 lb. CC	14	9	New Spread Rate 115 sq.ft	CCRR-1076	ER-0499	ESR-2642
BASF WALLTITE 200 CC	4	3	400 sq. ft.	Update in Progress	ER-0499	ESR-2642
BASF WALLTITE 200 CC Requires 4 mils WFT DC 315P primer & 16 WFT mils DC 315	16	11	100 sq. ft.	Update in Progress	ER-0499	ESR-2642
BASF WALLTITE ® HP+ 2 lb. CC Requires 4 mils WFT DC 315P primer & 16 WFT mils DC 315	16	11	100 sq.ft.	CCRR-1076	ER-0499	ESR-2642
BASF WALLTITE ® US 2 lb. CC Requires 4 mils WFT DC 315P primer & 16 WFT mils DC 315	16	11	100 sq.ft.	CCRR-1076	ER-0499	ESR-2642
BASF WALLTITE ® US-N 2 lb. CC Requires 4 mils WFT DC 315P primer & 16 WFT mils DC 315	16	11	100 sq.ft.	CCRR-1076	ER-0499	ESR-2642
Certaiteed CertaSpray 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	Update in Progress	ER-0499	ESR-3758
Certaiteed CertaSpray 2 lb. CC	4	3	400 sq.ft.	CCRR-1076		ESR-3758
CertainTeed CertaSpray X 0.5 lb OC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-3759
CertainTeed, CertaSpray X 0.5 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-3759
DAP Touch N Foam Professional Class I FR 2 lb. CC	20	13	80 sq.ft.	CCRR-1076	ER-0499	ESR-3052
DAP Touch N Seal Class I FR 2 lb. CC	20	13	80 sq.ft.	CCRR-1076	ER-0499	ESR-3052
Demilec Agribalance 0.6 - 0.8 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-2600
Demilec Agribalance 0.6 - 0.8 lb. OC	18	12	89 sq.ft.	CCRR-1076	ER-0499	ESR-2600
Demilec APX 0.5 lb. OC	20	13	80 sq.ft.	CCRR-1076	ER-0499	ESR-3470
Demilec Heatlok Arctic XT-w 2 lb. CC	18	12	89 sq.ft.	CCRR-1076	ER-0499	ESR-3883
Demilec Heatlok HFO High Lift 2 lb. CC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-4073
Demilec Heatlok HFO High Lift 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-4073
Demilec Heatlok Soy 200 plus 2 lb. CC	18	12	89 sq.ft.	CCRR-1076	ER-0499	ESR-3210
Demilec Heatlok XT-s 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-3824
Demilec Heatlok® HFO PRO 2 lb. CC	18	12	89 sq.ft.	CCRR-1076	ER-0499	ER-0565
Demilec Sealection 500 0.5 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-1172
Demilec Sealection 500 0.5 lb. OC	18	12	89 sq.ft.	CCRR-1076	ER-0499	ESR-1172
Dow FROTH-PAK™ 1.75 lb. CC	20	13	80 sq.ft.	Update in Progress	ER-0499	ESR-3228
DOW Styrofoam CM 2045 2 lb. CC Requires 4 mils WFT DC 315P primer & 18 WFT mils DC 315	18	12	89 sq.ft.	CCRR-1076	ER-0499	ESR-2670
Elastochem Insulthane 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	Update in Progress	ER-0499	ESR-3541
Elastochem Insulthane Extreme 2 lb. CC	18	12	89 sq.ft.	CCRR-1076	ER-0499	ESR-3809
Energy One America EOA 2000 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0443
Energy One America EOA 2000 2 lb. CC	4	3	400 sq.ft.	Update in Progress	ER-0499	ER-0443
EnergyOne America EOA 500 0.5 lb. OC	14	9	New Spread Rate 115 sq.ft.	Update in Progress	ER-0499	ESR-3686
Gaco 052N 0.5 lb. OC	20	13	80 sq.ft.	CCRR-1076	ER-0499	CCRR-1075
Gaco 052N 0.5 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	CCRR-1075
GACO EZ Spray F4500 0.5 OC	14	9	New Spread Rate 115 sq.ft.	Update in Progress	ER-0499	CCRR-1107
GACO EZ Spray F4500 0.5 OC	4	3	400 sq.ft.	Update in Progress	Update in Progress	CCRR-1107
Gaco F183M 10 lb. CC	20	13	80 sq.ft.	Update in Progress	ER-0499	
Gaco FireStop2 5001 0.5 lb. OC	18	12	89 sq.ft.	CCRR-1076	ER-0499	CCRR-1009
Gaco OnePass F1850 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	CCRR-1043
Gaco Western 183M 2 lb. CC	20	13	80 sq.ft.	CCRR-1076	ER-0499	CCRR-1002
Gaco Western F1880 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	Update in Progress	ER-0499	CCRR-1106
General Coatings Ultra-Thane 050 0.5 OC	20	13	80 sq.ft.			
General Coatings Ultra-Thane 050 0.5 OC	4	3	400 sq.ft.			
General Coatings Ultra-Thane 230 2 lb. CC	4	3	400 sq.ft.	CCRR-1076	ER-0499	CCRR-1085
General Coatings Ultra-Thane 230 2 lb. CC 4 mils WFT DTM primer & 18 WFT mils DC 315	18	12	89 sq.ft.	CCRR-1076	ER-0499	CCRR-1085
Guardian Energy Technologies Foam It Green 2 lb. CC	20	13	80 sq.ft.	Update in Progress	Update in Progress	
Henry Permax 2.0 X Fast CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-3647
Henry Permax 2.0 X lb. CC	14	9	New Spread Rate 115 sq.ft	CCRR-1076	ER-0499	ERS-3647
Henry Permax LV 0.5 lb. OC	18	12	89 sq.ft.	CCRR-1076	ER-0499	ESR-3646
Henry Permax LV 0.5 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-3646
Henry Permax RT 2045 2.0 CC	14	8	New Spread Rate 115 sq. ft.	CCRR-1076	ER-0499	ESR-3024
Henry Permax RT-2045 1.8 lb. CC	14	9	New Spread Rate 115 sq. ft.	CCRR-1076	ER-0499	ESR-3024
ICP Adhesives & Sealants formerly Fomo Products Inc. Handi-Foam E84 Class 1 (A) 2 lb. CC	20	13	80 sq.ft.	CCRR-1076	ER-0499	ESR-2717
Icynene Classic Ultra Select 0.5 lb. OC	4	3	400 sq.ft.	Update in Progress	ER-0499	ESR-1826
Icynene Classic 0.5 lb OC	4	3	400 sq. ft.	CCRR-1076	ER-0499	ESR-1826
Icynene Classic Plus 0.7 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-1826
Icynene Classic Plus 0.7 lb. OC	14	9	New Spread Rate 115 sq.ft.	Update in Progress	ER-0499	ESR-1826
Icynene Classic Ultra 0.5 lb. OC	14	9	New Spread Rate 115 sq. ft.	Update in Progress	ER-0499	ESR-1826
Icynene Classic Ultra 0.5 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-1826
Icynene Classic Ultra Select 0.5 lb. OC	14	9	New Spread Rate 115 sq. ft.	Update in Progress	ER-0499	ESR-1826
Icynene Classic Ultra TT	14	9	New Spread Rate 115 sq. ft	Contact IFTI for Test		

Approved (SPF) Spray Foam Manufacturer and Type	Wet Film	Dry Film	Coverage Rate Per Gallon	IFTI Intertek Evaluation report	IFTI IAPMO Evaluation report	SPF Manufacturer Evaluation report
Icynene Classic Ultra TT	4	3	400 sq. ft.	Contact IFTI for Test		
Icynene Classic® 0.5 lb. OC	14	9	New Spread Rate 115 sq. ft.	Update in Progress	ER-0499	ESR-1826
Icynene MD-C-200 2 lb. CC	22	14	73 sq.ft.	CCRR-1076	ER-0499	ESR-3199
Icynene MDC-200 2.0 lb CC	4	3	400 sq. ft.	CCRR-1076	ER-0499	ESR-3199
Icynene ProSeal 2 lb. CC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-3500
Icynene ProSeal 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-3500
Icynene ProSeal LE CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-3500
JM Corbond III 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0146
JM Corbond III 2 lb. CC	4	3	400 sq.ft.	CCRR-1076		ER-0146
JM Corbond MCS™ 2 lb. CC	22	14	73 sq.ft.	CCRR-1076	ER-0499	ESR-3159
JM Corbond OC	18	12	89 sq. ft.	CCRR-1076	ER-0499	ESR-3776
JM ocx SPF™ 0.5 lb. OC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-3776
Lapolla FL 2000 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-2629
Lapolla FL 2000 4-G 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	CCRR-1025
Lapolla FL 500 0.5 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	CCRR-1091
Lapolla FL 500 0.5 lb. OC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	CCRR-1091
Lapolla FL450 OC	4	3	400 sq. ft.	Update in Progress	ER-0499	ESR-4242
Lapolla FL450 OC	14	9	New Spread Rate 115 sq. ft.	CCRR-1076	ER-0499	ESR-4242
Lapolla Foam-Lok AB2000 2.0 lb. CC	18	12	89 sq.ft.			ERS-2629
Natural Polymers, Natural-Therm® 0.5 IB, OC	21	14	76 sq.ft.			ER-0503
Natural Polymers, Natural-Therm® 0.50 OC	20	13	80 sq.ft.	CCRR-1076	ER-0499	ER-0336
Natural Polymers, Natural-Therm® 2.0 IBS	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0336
Natural Polymers, Natural-Therm® 2.0 IBW	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0336
Natural Polymers, Natural-Therm® Zero CC	4	3	400 sq.ft.			ER-0527
Natural Polymers,Natural-Therm® HFO 2 lb. CC	18	12	89 sq.ft.			
Natural Polymers,Natural-Therm® HFO 2 lb. CC	4	3	400 sq.ft.			
NCFI INSULBLOC® 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-1615
NCFI INSULSTAR® 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-1615
NCFI SEALITE™ 0.5 lb. OCX	18	12	89 sq.ft.	CCRR-1076	ER-0499	ESR-3826
NCFI SEALITE™ 0.5 lb. OCX	5	3	320 sq.ft.			ESR-3826
NuWool, Nu-Seal 0.5	20	13	80 sq.ft.	CCRR-1076	ER-0499	ESR-3136
NuWool, Nu-Seal 2.0W	21	14	76 sq.ft.	CCRR-1076	ER-0499	ESR-3136
Oak Ridge Foam & Coating Systems, Inc. ORFF 0.5 lb. OC	20	13	80 sq.ft.			
Oak Ridge Foam & Coating Systems, Inc. ORFF 2 lb. CC	18	12	89 sq.ft.			
Patriot 200 2 lb. CC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-4065
Patriot 200 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-4065
Patriot 500 0.5 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-4064
Patriot 500 0.5 lb. OC	20	13	80 sq.ft.	CCRR-1076	ER-0499	ESR-4064
Patriot 500 HY 0.5 lb. OC	20	13	80 sq.ft.	CCRR-1076	ER-0499	ESR-4064
Patriot 500 HY 0.5 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-4064
Profoam Proseal™ 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-3835
PSI Staycell® 302 2.2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0569
Rhino Linings ThermalGuard 0.5 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ESR-2100
Rhino Linings ThermalGuard 0.5 lb. OC	18	12	89 sq.ft.	CCRR-1076	ER-0499	ESR-2100
Rhino Linings ThermalGuard 1 lb. OC	4	3	400 sq.ft.			
Rhino Linings ThermalGuard 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-2100
SES 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0374
SES 2.0 LE CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0374
SES Nexseal™ 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0374
SES Nexseal™ 2.0 LE	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0374
SES Spray Foam Insulation 0.5 lb. OC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0492
SES Spray Foam Insulation 0.5 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	ER-0492
SES SucraSeal 0.5 lb. OC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ESR-3375
Specialty Products, Inc. (S.P.I.) 0.5 lb. OC	20	13	80 sq.ft.			
Specialty Products, Inc. (S.P.I.) Envelope-Seal 0.50 lb. CL1 OC	20	13	80 sq.ft.			
Specialty Products, Inc. (S.P.I.) Envelope-Seal 2 lb. CC	21	13	76 sq.ft.			
Specialty Products, Inc. (S.P.I.) Envelope-Seal 2.0 lb. IBW CC	21	13	76 sq.ft.			
Spray Equipment & Coatings Spray EZ 2000 2 lb. CC	18	12	89 sq.ft.			
Spray Equipment & Coatings Spray EZ 500 0.5 lb. OC	20	13	80 sq.ft.			
Sustainable Polymer Products 0.5 lb. OC	20	13	89 sq.ft.		ER-0499	ER-0513
Sustainable Polymer Products 0.5 lb. OC HY	4	3	400 sq.ft.		ER-0499	ER-0514
Sustainable Polymer Products 0.5 lb. OCX	4	3	400 sq.ft.			ER-0512
Sustainable Polymer Products 0.5 lb. OCX	14	9	New Spread Rate 115 sq.ft.		ER-0499	ER-0512
Sustainable Polymer Products 2 lb. CC	4	3	400 sq.ft.		ER-0499	ER-0511
Sustainable Polymer Products 2 lb. CC	18	12	89 sq.ft.	CCRR-1076	ER-0499	ER-0511

Approved (SPF) Spray Foam Manufacturer and Type	Wet Film	Dry Film	Coverage Rate Per Gallon	IFTI Intertek Evaluation report	IFTI IAPMO Evaluation report	SPF Manufacturer Evaluation report
SWD QS100X 0.5 lb. OC	18	12	89 sq.ft.	CCRR-1076	ER-0499	CCRR-1050
SWD QS108 0.5 lb. OC	4	3	400 sq.ft.	CCRR-1076	ER-0499	CCRR-1051
SWD QS108 0.5 lb. OC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	CCRR-1051
SWD QuikShield 106 0.5 lb. OC	24	15	68 sq.ft.	CCRR-1076	ER-0499	CCRR-1011
SWD QuikShield 112 XC 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	Update in Progress	ER-0499	CCRR-1011
SWD QuikShield 118 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	Update in Progress	ER-0499	CCRR-1093
ThermoSeal 2000/2000W CC	14	9	New Spread Rate 115 sq.ft.			ER-0581
Thermoseal 2100	20	13	80 Sq. Ft.	Update in Progress	Update in Progress	ESR 3225
ThermoSeal 500 0.5 lb. OC	20	13	80 Sq. Ft.	Update in Progress	Update in Progress	ESR-3225
Thermoseal CCX	18	12	89 Sq. Ft.	Update in Progress	Update in Progress	ESR-4137
Thermoseal OCX	18	12	89 Sq. Ft.	Update in Progress	Update in Progress	CCRR-1095
TIGER FOAM® E-84 2 lb. CC	20	13	80 sq.ft.	Update in Progress	ER-0499	ESR-3183
UPC 500 OCX 0.5 OC	20	13	80 sq.ft.			
UTC 7040 0.5 lb. OC	20	13	80 sq.ft.		ER-0499	ESR-3244
UTC 7040 0.5 lb. OC	4	3	400 sq.ft.		ER-0499	ESR-3244
UTC 7041 0.5 lb. OC	4	3	400 sq.ft.		ER-0499	ESR-3244
UTC 7041 0.5 lb. OC	20	13	80 sq.ft.		ER-0499	ESR-3244
Versi-Foam® Class I 2 lb. CC	20	13	80 sq.ft.			
Volatile Free VFI-714 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	Update in Progress	ER-0499	ER-0415
Volatile Free VFI-716 0.5 lb. OC	20	13	80 sq.ft.		ER-0499	ER-0414
Xtremeseal 2.0 LE 2 lb. CC	14	9	New Spread Rate 115 sq.ft.	Update in Progress	ER-0499	ER-0537
Xtremeseal LX 0.5 lb. OC	4	3	400 sq.ft.		ER-0499	ER-0538
Xtremeseal LX 0.5 lb. OC	14	9	New Spread Rate 115 sq.ft.	CCRR-1076	ER-0499	ER-0538